

Baler

BEW BALER

The BEW BALER is used in binders and balers to tie a knot in string or wire won't to 'bind' or 'tie' the sheaves of corn or straw and hay up. The knotter works by a series of cams and gears to feed a loop of string or wire and around the bale or sheath then twist it and form the knot before a knife cuts off the string and therefore the bale is ejected and the string threaded down ready for the subsequent cycle. The whole sequence is driven by gears or chain drive as each operation must be in synchronization with subsequent.

Special Features

- Heavy-duty casting gearbox
- Low maintenance polypropylene knotter
- Wider pickup of 1.5m & 1.65m width
- Adjustable transport position
- Electronically balanced flywheel
- Pneumatic side wheels
- Solid wheel for pick up unit leveling
- Bale counter
- Rear headlight and reflectors
- Adjustable bale length
- Subsidy & Finance Available*

BEW Baler Specifications

BALER DIMENSIONS

Length

6155 MM

Width

2910 MM

Height

1843 MM

Right Wheel

10/80-12 (10PR) (2bar)

Left Wheel

11.5/80-15.3 (12PR) (2bar)

Tractor Power (HP) RPM

Above 45 above 38(@540 rpm)

PICK-UP

Intake Width

1720 MM

Working Width

1650 MM

Pick up Height adjustment

Mechanical and Hydraulic

Pick up Height adjustment

Mechanical and Hydraulic

Inner Feeder(Tine)

3 TINES

Outer Feeder(Tine)

2 TINES

BALE SIZE

Cross Section

460*360 MM

Cross Section

460*360 MM

Length

400 to 1100 MM

Knotters

Polypropyylene / Steel wire

No. of Knotters

2

Twine Box Capacity

6

Number of Chain Drive

Two

Number of Chain Drive

Two

Number of Gear Drive

Four

Number of Universal Joints

Three

Safety Device

Safety Guards, Over Running Clutch PTO, Safety Bolt

Gear Box Oil

SAE-140 (6L)

Capacity

300 bales (6 Tons) per hour

Weight (Baler)

1880 kg / 4145 lbs

Heavy duty casting gear box
Low maintenance polypropylene knoter
Wider pickup of 1.5m & 1.65m width
Adjustable transport position
Electronically balanced flywheel
Pneumatic side wheels
Solid wheel for pick up unit levelling
Bale counter
Rear head light and reflectors
Adjustable bale length
Subsidy & Finance Available*

Thank you for your interest. This document summarises your quotation request.

BEW India 1800 1200 04455 helpdesk@ksagrotech.org